TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

PRECAUTIONS:

- 1. Handle with care. Avoid splashing and contact with eyes, nose and mouth.
- 2. Poisonous by swallowing, inhalation and contact with skin.
- 3. WEAR FULL PROTECTIVE CLOTHING i.e. rubber gloves, rubber boots, overalls, hood and respirator when mixing and applying ACETAMIPRIDLAMBDA 60EC.
- 4. On completion of spraying, remove protective clothing and wash hands and face thoroughly with soap and water. Dispose of the wash water in a safe manner.
- 5. KEEP APART FROM FOOD AND FOODSTUFFS.
- 6. DO NOT eat, drink or smoke while applying ACETAMIPRIDLAMBDA 60EC.
- 7. KEEP OUT OF THE REACH OF CHILDREN.
- 8. Dangerous to livestock, domestic pets, birds, fish and is toxic to bees.
- DO NOT contaminate drinking pools, dams, rivers, waterways and other water supplies.
- 10. Store in the original container and KEEP UNDER LOCK AND KEY.
- 11. DO NOT use near heat or fire sources.

EMPTY CONTAINER DISPOSAL:

Triple-rinse empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has\ slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsings to the contents of the spray tank before destroying the empty container by perforating and flattening. If possible, offer for recycling.

CLEANING OF APPLICATION EQUIPMENT:

After use, ensure all traces of ACETAMIPRIDLAMBDA 60EC are removed. Use the following method:

- a) Drain and rinse tank, spray-boom and hoses with clean water for at least 10 minutes (rinse at least 3 times).
- b) Fill tank with clean water and add to it 1 litre of household bleach (Sodium hypochlorite 5%) or 1.5 litres of household bleach (3.5%) per 200 litres of water. Rinse hoses and spray-boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
- c) Repeat step (b) and after that, rinse thoroughly with water. Dispose of the wash water safely in a collection sump where it will not contaminate crops, grazing, rivers, dams and boreholes.

SYMPTOMS OF POISONING

Nausea, abdominal pain, vomiting, headache, agitation, seizures, hypotension, hypertension, dyspnea, tingling and pruritus on the face and other exposed skin areas..

FIRST AID

INHALATION: If vapour and mists have been inhaled, and irritation is developed, move victim to fresh air. Obtain medical attention if irritation persists.

SKIN CONTACT: Flush skin with running water for a minimum of 20 minutes. Start flushing while removing contaminated clothing. If irritation persists, repeat flushing. Seek medical attention if irritation persists.

EYE CONTACT: Immediately flush eyes with a stream of clean water for at least 20 minutes, whilst holding the eyelids open. Obtain medical attention if irritation persists.


INGESTION: DO NOT induce vomiting. DO NOT give anything by mouth. If spontaneous

INGESTION: DO NOT induce vomiting. DO NOT give anything by mouth. If spontaneous vomiting occurs, have the victim lean forward with the head down to avoid breathing in of vomitus, rinse mouth an administer water. Obtain immediate medical attention.

NOTE TO PHYSICIAN:

Treat symptomatically and supportively. Activated charcoal may hinder endoscopic evaluation of patients with corrosive lesions. Atropine may be of value if hypersalivation is troublesome, 0.6-1.2 mg for an adult, 0.02 mg/kg for a child.

ACETAMIPRID LAMBDA 60 EC INSECTICIDE



COMPOSITION	MASS/VOLUME
Acetamiprid	30g/l
Lambda-cyhalothrin	30g/l

Chemical Group:
Acetamiprid: Neonicotinoid
Lambda-cyhalothrin: Synthetic Pyrethroid

A BROAD SPECTRUM INSECTICIDE WITH CONTACT AND STOMACH ACTION ON PESTS AS LISTED.

Registered and Distributed by:

Optimum Agro (Pvt) Ltd 12 Highfield Road, Southerton, Harare.

Phonenumber: 0242774725 E-mail:sales@optiagro.co.zw



DIRECTIONS FOR USE:

VEGETABLE INSECT PESTS

For control of the insects listed below, apply the specified amount of ACETAMIPRIDLAMBDA 60 EC with a sprayer in sufficient water to achieve thorough coverage of the attacked crop. Apply when the insects first appear and repeat as infestations warrant. **DO NOT** apply ACETAMIPRIDLAMBDA 60 EC when crops have reached harvest time.

MIXING INSTRUCTIONS:

Add the recommended volume of ACETAMIPRIDLAMBDA 60 EC to the spray-tank or knapsack sprayer half-filled with clean water. Agitate the spray-mixture thoroughly using a clean mixing instrument. When the mixing is done, add the remainder of the clean water up to the maximum volume of Knapsack sprayer or spray-tank.

CROP	PESTS	QUANTITY OF ACETAMIPRIDLAMBDA 60 EC PER 100 LITRES OF WATER/Ha	RATE/15L KNAPSACK SPRAYER
Beans	American bollworm, Aphids, Russian Aphids, Leafminers (<i>Liriomyza</i>),Thrips	750ml	75ml
Citrus and Mango trees	Aphids,Colorado Beetle, Leafminers (<i>Liriomyza</i>)	750ml	75ml
Tomatoes	Aphids, Whiteflies, Leafminers (Liriomyza and Tuta Absoluta), Thrips	500-750ml	50 -75ml
Cotton	Aphids, Russian Aphids, Thrips, Mirids, Leafminer (<i>Liriomyza</i>)	500ml	50ml

PRE-HARVEST INTERVAL (PHI):

ACETAMIPRIDLAMBDA 60 EC is suitable for use in hot and dry weather conditions.

RESISTANCE WARNING

Avoid repeated use of an insecticide or insecticides from the same chemical group. Alternate or tank-mix with products with different modes of action.

WARRANTY:

The excellent results which this chemical should normally yield are not however warranted or guaranteed as effectiveness can be greatly influenced by factors outside the control of either the manufacturers or suppliers. No warranty whatsoever expressed or implied is therefore given concerning the performance or effectiveness of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from handling, use or storage of this product.

Shelf life: Two years from date of manufacture if kept in the original unopened container under constant cool and dry conditions.

BATCH No. Date of manufacture